

# KUNARK HITECH MACHINING & SALES PVT.LTD.



Kunark House, 269, Kunark Marg, Kaman Bhiwandi Road, Kaman,


Vasai Road (East), Dist: Thane -401208, Maharashtra, India.

Mobile&Whatsapp: +91 9867973046, Mobile 2:- +91 7977043901

Goggle Map:- <https://maps.google.com/maps?q=19.372000+72.902095>

Email: [info@jkgears.com](mailto:info@jkgears.com), [dalbirbright@gmail.com](mailto:dalbirbright@gmail.com) website: [www.jkgears.com](http://www.jkgears.com)











Video :-

Please click here for video no. 1	
Please click here for video no. 2	
Please click here for video no. 3	

<b>Machine Id</b> :- 1193	<b>Serial No</b> :-
<b>Category</b> :- Gear Hobbers	<b>Model</b> :- FO 16
<b>Country</b> :- Czech Republic	<b>Make</b> :- Tos
<b>Type of Machine</b> :- gear hobber universal	<b>Year</b> :-
<b>Weight</b> :- 0.0	<b>Dimensions</b> :-
<b>Power</b> :-	<b>Location</b> :- Mumbai Warehouse, India

Specification :-

Max. gear wheel module

- max. machining 16

- with normal machine loading 20

Max. gear wheel diameter mm 1600

Max. gear wheel diameter without steady with normal machine loading mm 2000

Max. gear wheel width with straight teeth

- gear wheel diameter above 1350 mm mm 560

- gear wheel diameter below 1350 mm mm 500  
Max. distance between spindle and table surface mm 1050  
Min. distance between spindle and table surface mm 400  
Max. distance between spindle and table mm 1150  
Min. distance between spindle and table mm 100  
Table diameter mm 1350  
Table boring diameter mm 180  
Number of T-shaped groove mm 8  
Milling arbor diameter mm 32-40-50-60  
Number of milling spindle revolutions in R 10 row, =1,26 from-to U/min 16- 80  
Main motor power PS 15  
Fast motor power PS 7,5  
Vertical feed number 36  
Vertical feed range with table revolutions from- to mm 0,25- 6  
Longitudinal feed number with table revolutions from- to mm 0,05-1,5  
Machine surface needed mm 4300 x 2000  
Weight with normal equipment kG 18 100