

KUNARK HITECH MACHINING & SALES PVT.LTD.



Kunark House, 269, Kunark Marg, Kaman Bhiwandi Road, Kaman,

Vasai Road (East), Dist: Thane -401208, Maharashtra, India.

Mobile&Whatsapp: +91 9867973046, Mobile 2:- +91 7977043901




Goggle Map:- <https://maps.google.com/maps?q=19.372000+72.902095>

Email: info@jkgears.com, dalbirbright@gmail.com website: www.jkgears.com





Video :-

Defum HWC 110 Table Type Borer(Chuck & Tailstock)	
Defum HWC 110 Table Type Borer(Chuck & Tailstock)	
Defum HWC 110 Table Type Borer(Chuck & Tailstock)	

Machine Id	:- 126	Serial No	:-
Category	:- Borers All Types	Model	:- hwcs-110.
Country	:- Poland	Make	:- defum
Type of Machine	:- Wide bed horizontal table type borer (chuck & tailstock)	Year	:-
Weight	:- 18000.0	Dimensions	:-
Power	:-	Location	:- Mumbai WareHouse, India

Specification :-

The Machine is Complete With Face Chuck & Tailstock & English Manuals

X:-3000mm (Wide bed horizontal borer)

Y:-2300mm (Beutiful Height)

Z:-3000mm (Distance From face Chuck to Tailstock)

Spindle diameter 110mm

Taper in the spindle iso 50

Chuck Dia 750mm

Max distance of face plate from support 3000mm

Number of spindle speeds 18 & Feeds:-100.

Number of head stock and table cross feeds 20

Rotary table Working surface

1600mm x 1400mm

Description :--

The drilling, boring and milling machine type HCWS-110 is destined for a wide range of operations such like drilling, boring , facing, reaming, milling and threading.

It is furnished with a cross table with power and manual feeds and also with power and manual feeds and also with power and manual rotations.

In the face plate there is the facing carriage build in. All travels of the machine tool are provided with slidable stops, which make it possible to switch off the feed automatically at any optional point.

To ensure a convenient servicing of the machine it is carried out in the so called right-hand lay out.

The levers for controlling revolutions and feeds are arranged in places convenient to reach for operative.

The machine tool is carried out in the following systems;

- 1. Metric system.**
- 2. Metric system with the possibility to cut inch treads.**
- 3. Inch system.**