





<i>Machine Id</i>	:- 1305	<i>Serial No</i>	:-
<i>Category</i>	:- Gear Related Machines	<i>Model</i>	:- 6
<i>Country</i>	:- United States	<i>Make</i>	:- Gleason
<i>Type of Machine</i>	:- Bevel Gear Tester	<i>Year</i>	:-
<i>Weight</i>	:- 0.0	<i>Dimensions</i>	:-
<i>Power</i>	:-	<i>Location</i>	:- Mumbai Warehouse, India

Specification :-

**Specifications :-**

**Testing Capabilities for Bevel & Hypoid Gears:**

**Rolling Qualities**

**Tooth Spacing**

**Tooth Profile**

**Concentricity**

**Backlash**

**Runout**

**SPINDLE RUNOUT:**

**Drive Spindle Bore:**

**Drive Spindle Face:**

**Driven Spindle Bore:**

**Driven Spindle Face:**

**SPECIFICATIONS:**

**Max. Diameter Of Gears: 7-1/2'**

**Range Of Angles: 0 Deg. - 180 Deg.**

**Range Of Pinion Spindle Offset Above/Below Center: 1-1/4'**

**Distance From Center Of Pinion Spindle:**

**To Nose Of Gear Spindle: 7'Max; 0'Min**

**Distance From Center Of Gear Spindle:**

**To Nose Of Pinion Spindle: 7'Max; 1'Min**

**Drive Spindle Speed (900 & 1800 RPM Motor): 1750 RPM & 3500 RPM**

**Diameter Of Taper Hole, Large End: 1-51/64'**

**Taper Per Foot: 1/2'**

**Depth Of Taper: 3'**

**Diameter Of Hole Through Spindle: 1-5/16'**

**Net Weight: 2100 lbs**

Description :--