

# KUNARK HITECH MACHINING & SALES PVT.LTD.



Kunark House, 269, Kunark Marg, Kaman Bhiwandi Road, Kaman,

Vasai Road (East), Dist: Thane -401208, Maharashtra, India.

Mobile&Whatsapp: +91 9867973046, Mobile 2:- +91 7977043901

Goggle Map:- <https://maps.google.com/maps?q=19.372000+72.902095>

Email: [info@jkgears.com](mailto:info@jkgears.com), [dalbirbright@gmail.com](mailto:dalbirbright@gmail.com) website: [www.jkgears.com](http://www.jkgears.com)





Video :-

Please click here for video



<i>Machine Id</i>	<i>:-</i>	<i>1362</i>	<i>Serial No</i>	<i>:-</i>	<i>265-29-08</i>
<i>Category</i>	<i>:-</i>	<i>Gear Hob Sharpeners</i>	<i>Model</i>	<i>:-</i>	<i>AS 305</i>
<i>Country</i>	<i>:-</i>	<i>Germany</i>	<i>Make</i>	<i>:-</i>	<i>kapp</i>
<i>Type of Machine</i>	<i>:-</i>	<i>Gear Hob Sharpening Machine</i>	<i>Year</i>	<i>:-</i>	<i>1973</i>
<i>Weight</i>	<i>:-</i>	<i>0.0</i>	<i>Dimensions</i>	<i>:-</i>	
<i>Power</i>	<i>:-</i>		<i>Location</i>	<i>:-</i>	<i>Mumbai Warehouse,India</i>

Specification :-

**Technical data:**

- Max. centre width: 600 mm
- Centre height: 155 mm
- Maximum clamping length for arbors: 700 mm
- Max. table travel: 550 mm
- Maximum grinding depth: 90 mm
- Table speed infinitely variable: 0-16 m/min
- Axial adjustment of the grinding spindle: 220 mm
- Vertical adjustment of the grinding slide: 200 mm
- Speed of the grinding spindle in standard version: 2200 rpm
- Largest number of flutes: 44
- Swivelling range of the grinding slide on both sides: 45 degrees
- Swivelling range of the grinding spindle from the horizontal to the top: 15 degrees
- Largest grinding wheel diameter: 300 mm
- Smallest grinding wheel diameter: 150 mm
- Largest workpiece diameter: 300 mm
- Taper of the main spindle: Morse 4