

KUNARK HITECH MACHINING & SALES PVT.LTD.



Kunark House, 269, Kunark Marg, Kaman Bhiwandi Road, Kaman,

Vasai Road (East), Dist: Thane -401208, Maharashtra, India.

Mobile&Whatsapp: +91 9867973046, Mobile 2:- +91 7977043901

Goggle Map:- <https://maps.google.com/maps?q=19.372000+72.902095>

Email: info@jkgears.com, dalbirbright@gmail.com website: www.jkgears.com





Video :-

Please click here for video



<i>Machine Id</i>	<i>:- 1363</i>	<i>Serial No</i>	<i>:- 265-29-08</i>
<i>Category</i>	<i>:- Gear Related Machines</i>	<i>Model</i>	<i>:- AS 305</i>
<i>Country</i>	<i>:- Germany</i>	<i>Make</i>	<i>:- kapp</i>
<i>Type of Machine</i>	<i>:- Gear Hob Sharpening Machine</i>	<i>Year</i>	<i>:- 1973</i>
<i>Weight</i>	<i>:- 0.0</i>	<i>Dimensions</i>	<i>:-</i>
<i>Power</i>	<i>:-</i>	<i>Location</i>	<i>:- Mumbai Warehouse,India</i>

Specification :-

Technical data:

- Max. centre width: 600 mm
- Centre height: 155 mm
- Maximum clamping length for arbors: 700 mm
- Max. table travel: 550 mm
- Maximum grinding depth: 90 mm
- Table speed infinitely variable: 0-16 m/min
- Axial adjustment of the grinding spindle: 220 mm
- Vertical adjustment of the grinding slide: 200 mm
- Speed of the grinding spindle in standard version: 2200 rpm
- Largest number of flutes: 44
- Swivelling range of the grinding slide on both sides: 45 degrees
- Swivelling range of the grinding spindle from the horizontal to the top: 15 degrees
- Largest grinding wheel diameter: 300 mm
- Smallest grinding wheel diameter: 150 mm
- Largest workpiece diameter: 300 mm
- Taper of the main spindle: Morse 4