





ERWIN JUNKER
MASCHINENFABRIK
NORDRACH/W.GERMANY

Maschinen Type	Hydraulikoeel Type	Betr. Spannung V Hz
ASAJ	Tellus C32	380 50
Maschinen Nr.	Hydraulikoeel Menge	Steuerspannung V Hz
772	150	220 50
Serie - Nr.	Spindeloeel Type	Ges. Anschlußw. KW
6469	Tellus 11	14
Baujahr 19 80	Spindeloeel Menge	Netzabsicherung A
	5	3x35

Als Hydraulikoeel verwende man Shell Tellus Oil C32 Shell Tellus Oil 32
oder gleichwertige Öle m. Viskosität ca. 32cSt/40°C





<i>Machine Id</i>	<i>:- 176</i>	<i>Serial No</i>	<i>:- 772</i>
<i>Category</i>	<i>:- Tapp Grinder & Flute Grinders</i>	<i>Model</i>	<i>:- asaj</i>
<i>Country</i>	<i>:- Germany</i>	<i>Make</i>	<i>:- junker</i>
<i>Type of Machine</i>	<i>:- flute grinding machine</i>	<i>Year</i>	<i>:-</i>
<i>Weight</i>	<i>:- 0.0</i>	<i>Dimensions</i>	<i>:- 4740x3400x1600mm</i>
<i>Power</i>	<i>:- 14KW</i>	<i>Location</i>	<i>:- Mumbai WareHouse, India</i>

Specification :-

Diameter Ground : 3 to 16 mm

Length to be ground : 32mm to 150mm

Width of Grinding Wheel : 12 to 40mm

Grinding Speed : 30 metre/sec

Total Power Required : 14KW (Including spindle motor, hydraulic, coolant and conveyor motor etc)

Space required : 4740x3400x1600mm

Weight : 4000kg