

# KUNARK HITECH MACHINING & SALES PVT.LTD.



Kunark House, 269, Kunark Marg, Kaman Bhiwandi Road, Kaman,

Vasai Road (East), Dist: Thane -401208, Maharashtra, India.

Mobile&Whatsapp: +91 9867973046, Mobile 2:- +91 7977043901

Goggle Map:- <https://maps.google.com/maps?q=19.372000+72.902095>

Email: [info@jkgears.com](mailto:info@jkgears.com), [dalbirbright@gmail.com](mailto:dalbirbright@gmail.com) website: [www.jkgears.com](http://www.jkgears.com)





<b>Machine Id</b>	<b>:- 278</b>	<b>Serial No</b>	<b>:-</b>
<b>Category</b>	<b>:- Vertical Turning Lathe (VTL) All Types Conventional &amp; Cnc</b>	<b>Model</b>	<b>:- kn-11</b>
<b>Country</b>	<b>:- Poland</b>	<b>Make</b>	<b>:- defum</b>
<b>Type of Machine</b>	<b>:- vertical turning lathe</b>	<b>Year</b>	<b>:-</b>
<b>Weight</b>	<b>:- 0.0</b>	<b>Dimensions</b>	<b>:-</b>
<b>Power</b>	<b>:-</b>	<b>Location</b>	<b>:- Mumbai Warehouse,India</b>

**Specification :-**

Max turning diameter with upper carriage 1350 mm

Max turning diameter with side carriage 1100 mm

Max turning height 1000 to 1250mm

Table diameter 1100 mm

Max table loading 4000 kg

Main motor power 30 kW

Table speeds 6,3 - 200 rpm

Table speeds number 16

Distance between floor and table surface 955 mm

UPPER CARRIAGE:

Vertical travel of ram with tool-holder ( Z axis ) 600 mm

Longitudinal travel of carriage ( X axis ) 700 mm

Number of tool-holes in tool-holder 5

Tool-hole diameter 60 mm

Working feeds 12 ; 0,21 - 10 mm/min

Rapid feed 1880 mm/min

SIDE CARRIAGE :

Vertical travel of carriage ( R axis ) 800 mm

Ram travel ( P axis ) 630 mm

TRASVERSAL BEAM :

Vertical travel 1000 mm

Feed 500 mm/min

DIMENSIONS : 2750x2350x3100 mm

Weight 14 000 kg

Description :-

Heavy Duty Machine,

Excellent Condition.