KUNARK HITECH MACHINING & SALES PVT.LTD.

Kunark House, 269, Kunark Marg, Kaman Bhiwandi Road, Kaman,
Vasai Road (East),Dist: Thane -401208, Maharashtra,India.
Mobile&Whatsapp: +91 9867973046, Mobile 2:- +91 7977043901
Goggle Map:- https://maps.google.com/maps?q=19.372000+72.902095
Email: info@jkgears.com, dalbirbright@gmail.com website: www.jkgears.com





MAAG
ZURICH



Video :--

Please Click Here For Video No. 01	
Please Click Here For Video No. 02	
Please Click Here For Video No. 03	

Machine Id	***:-***	***812***	**Serial No**	**:-**	
Category	**:-**	**Gear Shapers**	**Model**	**:-**	**45**
Country	**:-**	**Switzerland**	**Make**	**:-**	**Maag**
Type of Machine	**:-**	**Gear Shaper**	**Year**	**:-**	**1973**
Weight	**:-**	**0.0**	**Dimensions**	**:-**	
Power	**:-**		**Location**	**:-**	**Mumbai Warehouse,India**

Specification :-

The MAAG SH-45 Gear Cutting Machine is suitable for machining of:
*** External &internal cylindrical gears**

*** Pinions ***

Spur &helical gears *

Gear teeth with longitudinal and profile corrections

*** Cluster gears**

*** Double helical gears**

*** Sprocket wheels ***

PARTICULAR ADVANTAGES:

* Wide range of applications (gear diameters 0.8' to 18')
* High economy (Thanks to simple, inexpensive tooling and high rate of metal removal)
* High accuracy (Long life assured by operating principle and robust machine construction)
* Automatic machining cycles (A large number of automatic working cycles are available for the various fields of application)

PRINCIPAL SPECIFICATIONS AS PER CATALOGUE:

Maximum/minimum rated diametrical pitch... 4.2/25
Maximum/minimum rated gear blank... 18'/0.8'
Maximum rated spur gear face width... 4.75'
Maximum/minimum number of teeth... 250/6
Maximum helix angle... 60 Deg.
Maximum weight of gear and fixture... 880 lbs.
Maximum/minimum stroke of cutter slide... 5.7/0
Maximum/minimum position of cutter above table at stroke... 12.6/5.5
Range of cutter strokes (12)... 37-235 SPM
Strokes per pitch, steplessly adjusted... 9 half 80