

# KUNARK HITECH MACHINING & SALES PVT.LTD.

Kunark House, 269, Kunark Marg, Kaman Bhiwandi Road, Kaman,

Vasai Road (East), Dist: Thane -401208, Maharashtra, India.

Mobile: (+91) 9867973046 Factory: 0250-6454895

Email: [info@jkgears.com](mailto:info@jkgears.com), [dalbirbright@gmail.com](mailto:dalbirbright@gmail.com) website: [www.jkgears.com](http://www.jkgears.com)











<b>Machine Id</b>	<b>:- 1332</b>	<b>Serial No</b>	<b>:-</b>
<b>Category</b>	<b>:- Broach Grinder / Broach Sharpner</b>	<b>Model</b>	<b>:- 460</b>
<b>Country</b>	<b>:-</b>	<b>Make</b>	<b>:- KLINK</b>
<b>Type of Machine</b>	<b>:- Broach Sharpening Machine</b>	<b>Year</b>	<b>:-</b>
<b>Weight</b>	<b>:- 0.0</b>	<b>Dimensions</b>	<b>:-</b>
<b>Power</b>	<b>:-</b>	<b>Location</b>	<b>:-</b>

Specification :-

## **Broach Sharpening Machine**

**Manufacturer: KLINK**

**Model / Type: 460**

**Manufacturing number 1090,**

**Grinding length max. 2000 mm,**

**Grinding width max. 300 mm,**

**Centre width 2000 mm,**

**Grinding table clamping surface 2700 x 200 mm,**

**Table movement by hand 2000 mm,**

**Grinding support: movement horizontal hydraulic 300 mm,**

**Vertical by hand 260 mm,**

**Swivelling 60°,**

**Grinding head swivelling range 90°,**

**Disengaging movement 25 mm,**

**Disengaging angle 11°,**

**Clamping breaker slide: Working stroke by hand 10 mm,**

**Movement horizontal by hand 115 mm,**

**Grinding spindle: taper 1:6,**

**Magnetic clamping plate 1000 x 100 mm,**

**Swivel range 90°,**

**Height adjustment 12 mm,**

**Grinding spindle 60 mm diameter x 250 mm**

**Machine Weight approx. 4,200 kg**

**Dimensions (l x w x h) approx. 5,000 x 1,700 x 2,100 mm**

